

Rates of rental and maximum connection charges for equipment and apparatus provided for use in private broadcast systems in relation to telephone exchange lines and private circuits.

16. For Schedule 11 to the principal Scheme there shall be substituted the following:

"Paragraphs 18, 20 and 21

SCHEDULE 11

RATES OF RENTAL AND MAXIMUM CONNECTION CHARGES FOR EQUIPMENT AND APPARATUS PROVIDED FOR USE IN PRIVATE BROADCAST SYSTEMS IN RELATION TO TELEPHONE EXCHANGE LINES AND PRIVATE CIRCUITS

(exclusive of value added tax)

(The rates of rental specified in this Schedule are quarterly rates)

| | <i>Rate of rental £</i> | <i>Maximum connection charge £</i> |
|---|---------------------------------|--|
| 1. Uni-directional Scheme: | | |
| (a) Common Equipment at local broadcast offices (per installation), i.e. common services for line terminating equipment .. | 3.00 | 4.00 |
| (b) Uni-directional Line Terminating Unit at local broadcasting offices (per 20 circuits), i.e. Broadcast Outlet line terminating equipment to serve 20 circuits .. | 21.50 | 37.00 |
| (c) Remote Switching Equipment at local broadcast offices (per omnibus circuit) .. | 0.90 | 6.00 |
| (d) Remote Switching Equipment at serving exchange (per link) .. | 5.50 | 10.00 |
| (e) Watch receiver in terminal office .. | 0.30 | 3.00 |
| 2. Equipment and apparatus to allow connection of broadcasts between re-broadcast office and a dependent terminal office .. | 1.50 | 6.00 |
| 3. Amplifier on standby exchange lines .. | 2.50 | 4.00 |
| 4. Amplifying equipment for offices with up to 10 line terminating units (including 2 Speakersets, 1 Headset No. 1, 1 Headgear Receiver) .. | 21.25 | 28.00 |
| 5. Amplifier LTR Mark II ANRB .. | 0.75 | Nil |
| 6. Additional amplifying equipment for offices with 11-20 line terminating units (including 1 Speakerset No. 1) .. | 9.25 | 18.00 |
| 7. Emergency Broadcast Jack .. | 1.00 | 4.00 |
| 8. Equipment to connect each Key and Lamp Unit/Panel associated with private circuits to the broadcast .. | 1.80 | 6.00 |
| 9. Equipment to connect each Key and Lamp Unit/Panel associated with exchange line to the broadcast .. | 2.10 | 6.00 |
| 10. Standard Terminal Office Termination .. | 1.80 | 4.00 |
| 11. Inter office private circuit termination with standby exchange line .. | 17.50 | 18.00 |
| 12. Secondary feed distribution (Main line offices—includes 1 Switching Unit No. 8A and 2 Amplifiers No. 121A) .. | 6.00 | 10.00 |
| 13. Additional operator's circuit on Key and Lamp Unit/Panel associated with exchange line (includes 1 Headset No. 1) .. | 3.60 | 8.00 |
| 14. Additional operator's circuit on Key and Lamp Unit/Panel associated with private circuits (includes 1 Headset No. 1) .. | 3.60 | 8.00 |
| 15. Monitor Jack (includes Headgear Receiver) .. | 1.10 | 4.00 |
| 16. Miscellaneous equipment : per console .. | 7.50 | 10.00 |
| 17. Unit Auxiliary Apparatus per Unit/Panel with up to 5 exchange lines .. | 10.00 | 10.00 |
| 18. Unit Auxiliary Apparatus per Unit/Panel with 6-10 exchange lines .. | 13.50 | 10.00 |
| 19. Unit Auxiliary Apparatus per Unit/Panel with up to 5 private circuits .. | 10.00 | 10.00 |
| 20. Unit Auxiliary Apparatus per Unit/Panel with 6-10 private circuits .. | 13.50 | 10.00 |
| 21. 1 Key and Lamp Unit/Panel with 1 operator's circuit including headset .. | 11.25 | 18.00 |
| 22. 2 Key and Lamp Units/Panels with 1 operator's circuit including headset .. | 16.00 | 28.00 |
| 23. 1 Key and Lamp Unit/Panel without operator's circuit .. | 4.00 | 10.00 |
| 24. Remote Control Selective Switching facility for use on omnibus private circuits: | | |
| (a) Common equipment required in each distribution office regardless of number of lines .. | 2.25 | 6.00 |
| (b) Equipment required at each terminal office to be connected (this may for security reasons be installed in exchange instead of terminal office) .. | 1.95 | 4.00 |
| (c) Equipment required for each short (omnibus) circuit .. | 1.20 | 4.00 |
| (d) Equipment required for each longer (omnibus) circuit .. | 5.25 | 10.00 |
| 25. Battery feed control switch and lamp .. | 0.65 | 4.00 |
| 26. Test Jacks on main and secondary office private circuits: | | |
| Through offices (4 wire inter-office circuits): | | |
| (a) with one terminal office .. | 1.35 | 4.00 |
| (b) with two terminal offices .. | 1.85 | 4.00 |
| Terminal Offices: | | |
| 2 wire inter-office circuits: | | |
| sending and receiving .. | 1.35 | 4.00 |
| 4 wire inter-office circuits: | | |
| sending and receiving .. | 1.35 | 4.00." |