

SCHEDULE 5 (contd.)

PART 1 (contd.)

	<i>Rate of rental £</i>	<i>Maximum connection charge £</i>
(ii) which is not regarded by the Post Office as being situated in the same set of premises as the main telephone on the HES	The rate applicable under item 3 plus the applicable rate for an external extension specified in Part 2 of this Schedule.	The applicable charge for an external extension specified in Part 2 of this Schedule.
(c) Additional apparatus for second main telephone (HES 1 and 2 only)	6.00	Nil
(d) Equipment and apparatus for connecting HES and PBX:		
(i) where HES and PBX are regarded by the Post Office as being situated in the same set of premises	3.50	24.00
(ii) where HES and PBX are not regarded by the Post Office as being situated in the same set of premises	3.50 plus the applicable rate for an external extension specified in Part 2 of this Schedule.	The applicable charge for an external extension specified in Part 2 of this Schedule.
(e) Multiple cabling between telephones with full intercommunication which are not regarded by the Post Office as being situated in the same set of premises:		
(i) cable installed above ground without provision of new poles: per 10 metres or part of 10 metres	1.50	Nil
(ii) cabling installed in underground duct provided by subscriber: per 10 metres or part of 10 metres	1.10	Nil
(f) Interconnecting circuits:		
(i) where the circuit connects one HES with another HES both of which are regarded by the Post Office as being situated in the same set of premises	9.00	24.00
(ii) where the circuit connects one HES with another HES which is not regarded by the Post Office as being situated in the same set of premises as the first HES	9.00 plus the applicable rate for an external extension specified in Part 2 of this Schedule.	The applicable charge for an external extension specified in Part 2 of this Schedule.
(g) Standby power equipment for HES 3 and 4	30.00	40.00
4. Autodial No. 1 (25 line size)	1.70	} No further connection of these items will be made.
5. Breastplate transmitter: In addition to or instead of standard transmitter	1.80	
6. Headgear receiver: In addition to or instead of standard receiver:		
Single	1.00	
Double	1.50	
7. Breastplate transmitter and single headgear receiver combined: In addition to or instead of standard instrument	2.00	
8. Breastplate transmitter and double headgear receiver combined: In addition to or instead of standard instrument	2.50	
9. Extension bells and buzzers:		
Trembler 2½ inch (Battery operated)	0.60	12.00
Trembler 4 inch (Battery operated)	1.95	12.00
Trembler 6 inch (Battery operated)	1.95	12.00
Trembler 12 inch (Battery operated)	2.70	12.00
Trembler 6 inch (Mains operated)	1.95	12.00
Trembler 10 inch (Mains operated)	2.00	12.00
Magneto 2½ inch	0.60	12.00
Magneto Cow gong	0.60	12.00
Magneto 6 inch	0.80	12.00
Magneto 4 inch	0.60	12.00
Underdome Bell	0.80	12.00
Switchboard buzzer	0.75	12.00
where provided externally	The applicable rate for an internal bell or buzzer.	The applicable charge for an external extension specified in Part 2 of this Schedule.