

4423/0064	Whitworth Pharmaceuticals	Danol 100 mg Capsules	Danazol	100 mg	POM
4423/0067	Whitworth Pharmaceuticals	Halcion 0.125 mg Tablets	Triazolam	0.125 mg	POM
4423/0069	Whitworth Pharmaceuticals	Acupan	Nefopam Hydrochloride	30 mg	POM
4423/0074	Whitworth Pharmaceuticals	Orudis 100 mg Capsules (As Rofenid)	Ketoprofen	100 mg	POM
4423/0075	Whitworth Pharmaceuticals	Floxapen 250 mg	Flucloxacillin Sodium Monohydrate (= 250 mg Base)	262.5	POM
4423/0078	Whitworth Pharmaceuticals	Lioresal 10 mg Tablets	Baclofen	10 mg	POM
4423/0085	Whitworth Pharmaceuticals	Negram Tablets	Nalidixic Acid	500 mg	POM
4423/0087	Whitworth Pharmaceuticals	Betaloc 100 mg Tablets	Metoprolol Tartrate	100 mg	POM
4423/0091	Whitworth Pharmaceuticals	Froben 100 mg	Flurbiprofen	100 mg	POM
4423/0098	Whitworth Pharmaceuticals	Imodium 2 mg Capsule	Loperamide Hydrochloride	2 mg	POM
4423/0104	Whitworth Pharmaceuticals	Midamor	Amiloride Hydrochloride 5.68 mg (= 5 mg Base)		POM
4423/0105	Whitworth Pharmaceuticals	Trofranil Tablets 25 mg	Imipramine Hydrochloride	25 mg	POM
4423/0111	Whitworth Pharmaceuticals	Proviron	Mesterolone	25 mg	POM
4423/0116	Whitworth Pharmaceuticals	Slow Trasicor Tablets	Oxprenolol Hydrochloride	160 mg	POM
4423/0117	Whitworth Pharmaceuticals	Trasicor 80 mg Tablets	Oxprenolol Hydrochloride	80 mg	POM
4423/0118	Whitworth Pharmaceuticals	Canesten 0.1g Vaginal Tablets	Clotrimazole	100 mg	POM
4423/0121	Whitworth Pharmaceuticals	Stromba Tablets	Stanozolol	5 mg	POM
4423/0123	Whitworth Pharmaceuticals	Daktarin Cream 30g	Miconazole Nitrate	2% w/w	Route of administration: Topical application. <i>Clinical indications</i> 1. Daktarin is indicated in the treatment of skin and nail fungal infections. 2. Daktarin can be used also for infections caused by some gram positive bacteria.
					P
4423/0127	Whitworth Pharmaceuticals	Gastrozepen 50 mg Tablets	Pirenzepine Dihydrochloride 52.1 mg = Pirenzepine 50 mg		POM
4423/0133	Whitworth Pharmaceuticals	Tinset	Oxatomide	30 mg	POM
4500/0002	Biotest Pharma GmbH	Intraglobin	250 mg preparation: One bottle of 398 mg dry substance (lyophilisate) containing: 250 mg human immunoglobulin 125 mg glucose 23 mg sodium chloride		POM