

4657/0004	Viratek	Virazole Aerosol	Ribavarin	6.0 mg	Prescription Only Medicine
5351/0035	Pharmaceuticals International (UK)	Stugeron Forte	Cinnarizine	75.0 mg	Stugeron Forte is indicated for: 1. The long term management of peripheral arterial disease. 2. Intermittant claudication. 3. Rest pain. 4. Muscular cramps. 5. Vasospastic Disorders (eg Raynaud's Disease). Route of Administration: Oral. Pharmacy Medicine
5351/0066	Pharmaceuticals International (UK)	Vermox 100 mg Tablets	Mebendazole	100 mg	Prescription Only Medicine
5513/0183	Eurochem Limited	Becotide Inhaler	Beclomethasone Dipropionate	BP 12 mg	Prescription Only Medicine
5513/0245	Eurochem Limited	Panoxyl 5%	Benzoyl Peroxide	5% w/w	Panoxyl is indicated for use as an aid to the treatment of acne. For topical use only. Pharmacy Medicine
5571/0005	Martonland Limited, t/a Martons Pharmaceuticals	Ventolin Inhaler	Salbutamol	BP 1.176 mg	Prescription Only Medicine
5571/0088	Martonland Limited, t/a Martons Pharmaceuticals	Diane	Cyproterone Acetate Ethinylloestradiol	2 mg 0.05 mg	Prescription Only Medicine
5572/0131	Martonland Limited, t/a Martons Pharmaceuticals	Canesten Pessaries 100 mg	Clotrimazole	100.0 mg	Prescription Only Medicine
5848/0351	API (Suppliers) Limited	Canesten Cream	Clotrimazole	1% w/w	Canesten Cream is applied topically. All fungal skin infections due to dermatophytes, yeasts, moulds or other fungi. These include ring-worm infections, athletes foot, paronychia, pityriasis versicolor, erythrazma, intertrigo, fungal nappy rash, candida kilvitis, and candida balanitis. Pharmacy Medicine
6792/0048	Europharm	Indocid Suppositories	Indomethacin	100 mg	Prescription Only Medicine
8313/0019	Deproco UK Limited	Lignospan Special	Per 100 ml Lignocaine Hydrochloride BP 2.00 g Present as Hydrate BP 2.134 g *Adrenaline Acid Tartrate expressed in base BP 1.25 mg		Pharmacy Only Medicine
8313/0020	Deproco UK Limited	Alvogyl	Per 100 g Butamben USP 25.70 gm Iodoform 1976 FP 15.80 gm Eugenol BP 13.70 gm		1. Recommended Clinical Indications: The product is to be used for the treatment of dry socket. Alvogyl may be used as a post-extraction dressing following a difficult or