

Any person who wishes to make representation about the above application should do so in writing to the Divisional Manager, Anglian Water Authority, Norfolk and Suffolk River Division, Yare House, Thorpe Road, Norwich, before the end of the said period.

J. F. Hornsby, on behalf of Charles Wharton and Partners.
1st June 1979. (287)

NOTICE OF APPLICATION TO VARY A LICENCE TO ABSTRACT WATER

Notice is hereby given that an application is being made to the Yorkshire Water Authority by the British Waterways Board, "Willow Grange", Church Road, Watford WD1 3QA, to vary the licence number 2/27/6/66 to abstract water from the Sheffield and South Yorkshire Navigation at SK.419924, Rotherham. The variation applied for is:

1,000 gallons per hour to 2,500 gallons per hour;
20,000 gallons per day to 30,000 gallons per day;
5,000,000 gallons per year to 7,000,000 gallons per year.

A copy of the application and of any map, plan or other document submitted with it may be inspected free of charge at the offices of The Slag Reduction Co. Ltd., Meadow Bank Road, Rotherham at all reasonable hours during the period beginning on 8th June 1979 and ending on 6th July 1979. Any person who wishes to make representations about the application should do so in writing to the Directorate of Resource Planning, Yorkshire Water Authority, 21 Park Square South, Leeds LS1 2QG, before the end of the said period.

D. C. Topham, on behalf of The British Waterways Board.
24th May 1979. (764)

NOTICE OF APPLICATION FOR A LICENCE TO OBSTRUCT OR IMPEDE THE FLOW OF AN INLAND WATER BY MEANS OF IMPOUNDING WORKS.

Notice is hereby given that an application is being made to the South West Water Authority by T. M. T. Stephens of Bury Farm, Petrockstow, Okehampton, Devon for a licence to obstruct or impede the flow of an unclassified watercourse at national grid reference SS 498 101 by means of impounding work and to construct on-stream water reservoirs to form fishing lakes.

The capacity of the reservoirs at overflow level will be:

Reservoir 1—1.6 million gallons;
Reservoir 2—0.7 million gallons;
Reservoir 3—2.3 million gallons.

A copy of the application and of any map, plan or other document submitted with it may be inspected free of charge at Bury Farm, Petrockstow, Okehampton, Devon at all reasonable hours during the period beginning on 8th June 1979 and ending on 9th July 1979.

Any person who wishes to make representations about the application should do so in writing to The South West Water Authority, 3-5 Barnfield Road, Exeter EX1 1RE, before the end of the said period.

O. & J. House Ltd., on behalf of T. M. T. Stephens
25th May 1979. (766)

NOTICE OF APPLICATION FOR LICENCE TO ABSTRACT WATER

Notice is hereby given that an application is being made to the South West Water Authority by W. J. Richards and D. A. Richards, Southill Barton, Kentisbeare, Cullompton, Devon, for a licence to abstract the following quantities of water from unnamed tributary of River Culme, at the following point of abstraction:

100,000 gallons per day at ST 069-104 Uffculme, Devon.

Further details of the application are: Water abstracted to offstream reservoir during winter months for subsequent spray irrigation.

A copy of the application and of any map, plan or other document submitted with it may be inspected free of charge at Southill Barton at all reasonable hours during the period beginning on 8th June 1979 and ending on 7th July 1979.

Any person who wishes to make representations about the application should do so in writing to the Director of Administration to the South West Water Authority at 3-5 Barnfield Road, Exeter EX1 1RE, before the end of the said period.

W. J. Richards, on behalf of D. A. Richards & Son
26th May 1979. (767)

NOTICE OF APPLICATION FOR LICENCE TO ABSTRACT WATER

Notice is hereby given that an application is being made to the North West Water Authority by G.M.C. County Hall, Piccadilly Gardens, Manchester M60 3HR for a licence to abstract the following quantities of water from the River Irk, adjacent to Middleton Incinerator, Townley Street, Middleton (grid reference SD 872 059).

17.52 million gallons per year (48,000 gallons per day), the water to be used for quenching purposes.

A copy of the application and of any map, plan or other document submitted with it may be inspected free of charge at Middleton Incinerator Office, Townley Street, Middleton, at all reasonable hours during the period beginning on 8th June 1979 and ending on 6th July 1979.

Any person who wishes to make representations about the application should do so in writing to the Manager of the Rivers Division, North West Water Authority at Newtown House, Buttermarket Street, Warrington, before the end of the said period.

John Hayes, County Engineer, on behalf of Greater Manchester Council.
8th June 1979. (786)

NOTICE OF APPLICATION FOR A LICENCE TO ABSTRACT WATER

Notice is hereby given that an application is being made to the Severn-Trent Water Authority by Nacap Limited site office, Mill Street, Crewe, Cheshire, for a licence to abstract a quantity of water for the purpose of hydraulically testing a British Gas Corporation pipeline, from the River Trent at a point on the east side of the river shown on OS 127 379 north 876 east up to a total of 6 million gallons between 30th July and 12th August 1979 and upon completion of the hydraulic test returning the water to the river.

A copy of the application and of any map, plan or other document submitted with it, may be inspected free of charge at Nacap Limited at the above address at all reasonable times during the period 11th June to 11th July 1979 inclusive, or at the Post Office, Longton Road, Barlaston, Stoke-on-Trent ST12 9AA.
(815)

G. Duxbury

PUBLIC HEALTH ACTS AND CLEAN AIR ACT

WARRINGTON BOROUGH COUNCIL

CLEAN AIR ACT 1956

The Warrington Borough Council No. 5 Appleton, Stretton & Hatton Smoke Control Order 1979

Notice is hereby given that the Warrington Borough Council, in exercise of the powers conferred upon them by section 1 of the Clean Air Act 1956, on 29th May 1979 made an Order entitled "The Warrington Borough Council No. 5 Appleton, Stretton & Hatton Smoke Control Order 1979", declaring the area described in the Schedule hereto to be a smoke control area, which Order is about to be submitted to the Department of the Environment for confirmation.

Subject to the limitations and exemptions provided by the Order, and, by virtue of section 11 (4) of the Act, if, on any day after the Order has come into operation, smoke is emitted from a chimney of any building within the smoke control area, the occupier of that building shall be guilty of an offence and liable to a fine not exceeding £100, unless he proves that the emission of smoke was not caused by the use of any fuel other than an authorised fuel. The authorised fuels include anthracite, coke and other carbonised fuels. gas and electricity.