

## STAMPS. B.R. 795

AN ACCOUNT pursuant to the Bank Notes (Scotland) Act, 1845, the Currency and Bank Notes Act, 1928, and the Coinage Act, 1971 of the Amount of Notes authorised by Law to be issued by the several Banks of Issue in Scotland, and the Average Amount of Notes in Circulation, and of Bank of England Notes and Coin held during the Four Weeks ended Saturday, the Twenty-sixth day of December 1987.

Name and Title as set forth on Licence	Name of Firm	Approved Offices	Circulation authorised by Certificate	Average Circulation during 4 weeks ended as above			Average Amount of Bank of England Notes and Coin held during 4 weeks ended as above		
				£5 and upwards	Under £5	Total	*Gold and Bank of England Notes	Coin other than Gold Coin	Total
Bank of Scotland	The Governor and Company of the Bank of Scotland	(Edinburgh) (Glasgow)	£ 1,289,222	263,465,011	14,618,050	278,083,061	277,940,322	3,483,803	281,424,125
The Royal Bank of Scotland Ltd.	The Royal Bank of Scotland Ltd.	(Edinburgh) (Glasgow)	888,355	440,022,741	42,475,767	482,498,508	482,044,745	4,063,493	486,108,238
Clydesdale Bank Ltd.	Clydesdale Bank Ltd.	(Glasgow) (Aberdeen)	498,773	195,508,269	9,913,647	205,421,916	204,372,704	2,249,580	206,622,284

\*This column includes Bank of England Notes deposited at the Bank of England which, by virtue of Section 9(1) of the Currency and Bank Notes Act, 1928, are to be treated as gold coin held by the Bank.

I hereby certify that each of the Bankers named in the above Return, who have in circulation an amount of Notes beyond that authorised in their Certificates have held an amount of Bank of England Notes and Gold and Coin other than Gold Coin not less than that which they are required to hold during the period to which this Return relates.

Dated 11th February 1988.

D. S. Pipe Registrar of Bank Returns.

(22 SI)

## WATER RESOURCES ACT AND DROUGHT ACT 1976

### SEVERN-TRENT WATER AUTHORITY WATER RESOURCES ACT 1963 WATER RESOURCES (LICENCES) REGULATIONS 1965 WATER ACT 1973

#### NOTICE OF PROPOSALS TO VARY A LICENCE TO ABSTRACT WATER

Notice is hereby given that the Severn-Trent Water Authority (hereinafter called "The Authority") whose head office is at Abelson House, 2297 Coventry Road, Sheldon, Birmingham B26 3PU has formulated proposals to vary its licence serial number 3/28/39/17/S/R which authorises abstraction from the Hogshaw Brook and springs via the Lightwood Reservoirs in the Parish of Hope, near Fairfield, Derbyshire, at National Grid Reference SK 055 751, for public water supply purposes.

The proposed variation is to increase the maximum quantities of water authorised to be abstracted from 20,000 gallons (90.9 cubic metres) per hour, 500,000 gallons (2,273 cubic metres) per day and 120 million gallons (545,520 cubic metres) per year to 110 cubic metres per hour, 2,420 cubic metres per day and 650,000 cubic metres per year.

A copy of the proposals in the form of a draft varied licence and of any map, plan or other document prepared in connection with them may be inspected by the public free of charge at the Authority's offices in (i) Gadley Lane, off St. John's Road, Buxton and (ii) at 43 Dimple Road, Matlock DE4 3LQ, Derbyshire, at all reasonable hours during the period beginning on 17th March and ending on 22nd April 1988, inclusive, but excluding the period 1st to 5th April inclusive.

Any person who wishes to make representations about the proposals should do so in writing to the undersigned at the address below before the end of the said period. At the expiry of the said period, the Authority will be entitled to pass a resolution by virtue of which the licence shall be deemed to be varied unless the Secretary of State for the Environment, either in consequence of any representations made with respect to the proposals, or otherwise, requires an application for the variation of the licence to be made to him.

R. G. Sharp, Regional Manager, Technical Services,  
Severn-Trent Water Authority  
Abelson House, 2297 Coventry Road,  
Sheldon, Birmingham B26 3PU.  
8th March 1988. (726)

#### NOTICE OF APPLICATION FOR LICENCE TO ABSTRACT WATER

Notice is hereby given that an application is being made to the North West Water Authority by Glitsch (UK) Ltd., Hobsons Lane, Kirkby Stephen, Cumbria, for a licence to abstract the following quantities of water from (1) River Lune (2) Unnamed watercourse, at the following points of abstraction:

- (1) 250,000 gallons per year at NY613043 at Tebay.
- (2) 250,000 gallons per year at NY781099 at Hartley.

Further details of the application are: For testing distributors. A copy of the application and of any map, plan or other document submitted with it may be inspected free of charge at Glitsch (UK) Ltd. Hobsons Lane, Kirkby Stephen and Braithwaites of Tebay, Tebay, at all reasonable hours during the period beginning on 11th March 1988, and ending on 15th March 1988.

Any person who wishes to make representations about the application should do so in writing to North West Water Authority, Control & Regulation Section, New Town House, Buttermarket Street, Warrington, before the end of the said period.

A. Degg, on behalf of Glitsch (UK) Ltd.  
1st March 1988. (727)

## CONTROL OF POLLUTION ACT

### SOUTH WEST WATER AUTHORITY CONTROL OF POLLUTION ACT 1974

Notice is hereby given in accordance with section 36(1)(a) of the Control of Pollution Act 1974 that application has been made to the Secretary of State by the South West Water Authority for consent to discharge 744 litres per second of screened storm water sewage to the River Exe at NGR SS 9532 1203 from West Exe Storm Overflow and Pumping Station.

Any person who wishes to make representations about the application should do so in writing to the Secretary of State, Department of the Environment, Romney House, 43 Marsham Street, London SW1P 3PY, by 27th April 1988, quoting reference 2159/235/SAH.

NOTE: During times of storm any storm water will pass through a mechanically scrapped screen. Screening will be returned to the pumping station. It is estimated that the storm discharge will operate twenty times per year.

The Application may be inspected, free of charge, at the address shown below, at all reasonable hours.  
South West Water, Peninsula House,  
Rydon Lane, Exeter EX2 7HR. (725)