

# Public Notices

## WATER RESOURCES ACT

### NATIONAL RIVERS AUTHORITY—ANGLIAN REGION

*Notice of application for a combined licence to obstruct or impede the flow of an inland water by means of impounding works and to abstract water.*

Notice is hereby given that an application is being made to the National Rivers Authority Anglian Region by R. J. Cox, Eastland Farm, East Barkwith, Lincoln LN3 5AA, for a combined licence to obstruct or impede the flow of Tributary Stream of Barling Eau, by means of a V Notch Weir and Side Weir at National Grid Reference TF 16658248 in the parish of East Barkwith, in the district of East Lindsey, in the county of Lincolnshire and to abstract 5,000 cubic metres in 1993 and 1,000 thereafter between 1st January and 31st March, in any year from the said inland water at or near that point.

A copy of the application and of any map plan or other document submitted with it may be inspected, free of charge, at Eastland Farm, East Barkwith, Lincoln LN3 5AA, at all reasonable hours, during the period beginning on 24th November 1992 and ending on 24th December 1992.

Any person who wishes to make representations about the application should do so in writing to the Environmental Manager, National Rivers Authority, Anglian Region, Northern Area, Aqua House, Harvey Street, Lincoln LN1 1TF, before the end of the said period.

*S. J. Bamford, on behalf of R.J.Cox*

16th November 1992.

(727)

### NATIONAL RIVERS AUTHORITY—SEVERN TRENT REGION

*Notice of application to vary a licence to abstract water*

Take notice that HP Foods Limited, of Tower Road, Aston Cross, Birmingham is applying to the National Rivers Authority to vary licence serial number 3/28/9/79/G/R to abstract water from Burton Fault, Underground Water Table, 3 Boreholes at National Grid References SP = 079891(2) SP = 079889 at Tower Road, Aston Cross, Birmingham. The variation being applied for is increase in total annual quantity from 196,978 cubic metres to 230,000 cubic metres and deletion of one borehole at SP079891. Daily maximum intake from 1,682 cubic metres to 2,000 cubic metres.

A copy of the application and any map, plans and other documents submitted with it may be inspected, free of charge, at all reasonable hours at HP Foods Limited, Aston Cross, Birmingham, between 26th November 1992 and 24th December 1992.

Any person who wishes to make representations about the application should do so in writing to the National Rivers Authority, Severn Trent Region, P.O. Box 1461, 550 Streetsbrook Road, Solihull, West Midlands B91 1BR, before the end of the said period.

*P. A. Cantlay, on behalf of HP Foods Limited*

16th November 1992.

(728)

### NATIONAL RIVERS AUTHORITY—SOUTH WEST REGION

*Notice of applications for consent under Schedule 10*

Notice is hereby given pursuant to Schedule 10 of the Water Resources Act 1991 that the following applications have been made to the National Rivers Authority, South West Region:

Application reference 046/09B/1737 by Devon County Council to discharge rainfall arising from an impermeable area of 770 square metres to the River Erme, at NGR SX 6328 5564 from a proposed Recycling Centre off A38 slip road, Ivybridge.

Application reference 048/19E/1293 regarding Stoke Climsland STW by South West Water Services Ltd. to discharge (a) a dry weather flow of 200 cubic metres per day (a maximum of 868 cubic metres per day) of treated sewage (a decrease from 1045.44 cubic metres per day), and (b) screened storm sewage setting 10 litres per second (a decrease from 20.2 litres per second, relocating the existing point of discharge (NGR SX 3585 7400) to the River Tamar at NGR SX 3924 7363,

Copies of these applications may be inspected, free of charge, at all reasonable hours at the Authority Offices at Manley House, Kestrel Way, Sowton Industrial Estate, Exeter.

Any person who wishes to make representations about these applications should do so in writing to The Environmental Protection Manager, National Rivers Authority, South West Region, Manley House, Kestrel Way, Sowton, Exeter EX2 7LQ, quoting the above reference not later than 5th January 1993. (722)

### NATIONAL RIVER AUTHORITY—SOUTH WEST REGION

*Notice of application for consent under Schedule 10*

*Salcombe Sewerage Disposal Scheme*

Notice is hereby given, pursuant to Schedule 10 of the Water Resources Act 1991 that the following application has been made to the National Rivers Authority, South West Region by South West Water Services Ltd. in respect of the Salcombe Sewerage Disposal Scheme:

The application, reference 046/08A/1685, is to discharge a maximum of 4164.5 cubic metres per day of treated sewage at a point 500 metres offshore into Salcombe Harbour main Channel (SX7327 3770).

This proposal represents a significant improvement to the existing inadequate drainage arrangements.

Copies of this application may be inspected, free of charge, at all reasonable hours at the Authority offices at Manley House, Kestrel Way, Sowton Industrial Estate, Exeter.

Any person who wishes to make representations about this application should do so in writing to: The Environment Protection Manager, National Rivers Authority, South West Region, Manley House, Kestrel Way, Sowton, Exeter EX2 7LQ, quoting the above reference not later than 5th January 1993. (721)

*The following notice is in substitution for that which appeared on page 19518 of The London Gazette dated 19th November 1992:*

### NATIONAL RIVERS AUTHORITY—NORTHUMBRIA REGION

*Notice of application to vary a licence to abstract water*

Notice is hereby given that an application is being made to the National Rivers Authority, Northumbria Region, by British Steel Plc, General Steels, Teesside Works, Steel House, Redcar, Cleveland TS10 5QW, to vary the licence (serial No. 1/25/4/65) to abstract water from the River Tees grid reference NZ 533 225 at British Steel, Cleveland Works, South Bank, Cleveland. The variation applied for is: to increase the abstraction rate from 36 million metres cubed to 77 million metres cubed abstracted per annum 0.21 million per 24 hours.

A copy of the application and of any map, plan or other document submitted with it may be inspected, free of charge, at British Steel, Steel House, Redcar, Cleveland TS10 5QW, at all reasonable hours during the period beginning on 11th November 1992 and ending on 11th December 1992.

Any person who wishes to make representations about the application should do so in writing to the Water Resources Manager, National Rivers Authority, Northumbria Region, Eldon House, Regent Centre, Gosforth, Newcastle-upon-Tyne NE3 3UD, before the end of the said period.

*D. Blake, on behalf of British Steel plc.*

5th November 1992.

## ROAD TRAFFIC ACTS

### WEST GLAMORGAN COUNTY COUNCIL

*West Glamorgan County Council (Victoria Road, Hospital Road/Newbridge Road, Sandfields, Port Talbot) (Prohibition of Waiting) Order 1992.*

Notice is hereby given that the West Glamorgan County Council intend to make an Order in pursuance of its powers as contained in the Road Traffic Regulation Act 1984, the effect of which is as set out in the Schedule below.

A copy of the proposed Order, statement of reasons and an appropriate plan may be inspected during normal office hours in the County Secretary's Department, County Hall, Swansea, and in the offices of Port Talbot Borough Council, Civic Centre, Port Talbot.