

Any person who wishes to make representations about the application should do so in writing to the National Rivers Authority, Richard Fairclough House, Knutsford Road, Warrington WA4 1HG, before the end of the said period.

S. Whitter, of J. P. Whitter, (Water Well Engineers) Ltd. on behalf of Prestwich Golf Club.

21st August 1995.

(737)

## NATIONAL RIVERS AUTHORITY—SOUTHERN REGION

### *Notice of application for a licence to abstract water*

Take notice that H. Fleming & Son, of Southend Farm, Donnington, Chichester, West Sussex, is applying to the National Rivers Authority for a licence to abstract water from the Chichester Canal, at National Grid Reference SU 8454 0153 at Southend Farm, Donnington, Chichester, West Sussex. The proposal is to abstract water at the following rates: 75 cubic metres per hour, 1,500 cubic metres per day, 54,552 cubic metres per year, between 1st November and 31st March each year. The water will be used for spray irrigation of field vegetables.

A copy of the application and any map, plans and other documents submitted with it may be inspected, free of charge, at all reasonable hours at the offices of Henry Adams & Partners, Rowan House, between 23rd August and 23rd September 1995, at Baffins Lane, Chichester, West Sussex.

Any person who wishes to make representations about the application should do so in writing to the National Rivers Authority, Sussex Area Division, Rivers House, 3 Liverpool Gardens, Worthing, West Sussex BN11 1TF.

S. J. Lush, on behalf of H. Fleming & Son

21st August 1995.

(731)

## SOUTH-WEST WATER SERVICES LIMITED

### *Application for a Drought Order*

Notice of application for an Order relating to the reduction in compensation flow from Crowdy Reservoir into the Crowdy Brook at National Grid Reference SX 139 833.

An exceptional shortage of rain means that a serious deficiency of supplies of water is threatened in the area of South-West Water Services Limited which is served from the Crowdy Reservoir in the Parishes of Advent and Davidstow in the North Cornwall District.

Notice is given that in order to maintain an adequate supply of water, the Company is applying to the Secretary of State for the Environment for an Order pursuant to section 73 of the Water Resources Act 1991 to enable it for a period not exceeding six months to reduce the flow of compensation water from Crowdy Reservoir into the Crowdy Brook from 0.016 cubic metres per second (0.3 million gallons per day) as required by Licence to Abstract Water Number 15/49/281/S/23 to 0.008 cubic metres per second (0.15 million gallons per day).

A copy of the statement and a plan illustrating the Company's proposals may be inspected by any person, free of charge, during all reasonable office hours at the Company's Head Office, Peninsula House, Rydon Lane, Exeter EX2 7HR, and at Camelford Post Office, 13 Market Place, Camelford, Cornwall, Blisland Post Office Stores, Blisland, near Bodmin, Cornwall, St. Breward Post Office, Rowe, St. Breward, near Bodmin, Cornwall and North Hill Post Office, North Hill, Launceston, Cornwall, for a period of seven days from the date of the publication of this notice.

Objections to the application may be made to the Secretary of State for the Environment, Room 463, Romney House, 43 Marsham Street, London SW1P 3PY (c/o J. A. S. Wheeler) within seven days of the publication of this notice.

Where it appears to the Secretary of State that the Order is required to be made urgently if it is to enable the Company effectively to meet the deficiency of supplies of water referred to above, he may direct the holding of a Public Local Inquiry or a hearing by a person appointed by him, shall be dispensed with.

R. C. Milligan, Company Secretary

South-West Water Services Limited,  
Peninsula House, Rydon Lane, Exeter EX2 7HR.

24th August 1995.

(742)

## SOUTH-WEST WATER SERVICES LIMITED

### *Application for a Drought Order*

Notice of application for an Order to reduce the prescribed flow in the River De Lank below the water supply intake at National Grid Reference SX 135 765.

An exceptional shortage of rain means that a serious deficiency of supplies of water is threatened in the area of South-West Water Services Limited, the Statutory Water Undertaker, which is served from the Water Treatment Works on the River De Lank at the above National Grid Reference in the Parish of St. Breward in the District of North Cornwall.

Notice is given that in order to maintain an adequate supply of water, the Company is applying to the Secretary of State for the Environment for an Order pursuant to section 73 of the Water Resources Act 1991 authorising a temporary modification of the restrictions to which the Company is subject in respect of the abstraction of water from the River De Lank under the provisions of Licence to Abstract Water Number 15/49/283/S/3. The modification required is for a period not exceeding six months to reduce the prescribed flow at a point within 457 metres (500 yards) downstream of the abstraction point from 0.066 cubic metres per second (1.25 million gallons per day) to 0.033 cubic metres per second (0.625 million gallons per day).

A copy of the statement and a plan illustrating the Company's proposals may be inspected by any person, free of charge, during all reasonable office hours at the Company's Head Office, Peninsula House, Rydon Lane, Exeter EX2 7HR, and at Camelford Post Office, 13 Market Place, Camelford, Cornwall, Blisland Post Office Stores, Blisland, near Bodmin, Cornwall, St. Breward Post Office, Rowe, St. Breward, near Bodmin, Cornwall and North Hill Post Office, North Hill, Launceston, Cornwall, for a period of seven days from the date of the publication of this notice.

Objections to the application may be made to the Secretary of State for the Environment, Room 463, Romney House, 43 Marsham Street, London SW1P 3PY (c/o J. A. S. Wheeler) within seven days of the publication of this notice.

Where it appears to the Secretary of State that the Order is required to be made urgently if it is to enable the Company effectively to meet the deficiency of supplies of water referred to above, he may direct the holding of a Public Local Inquiry or a hearing by a person appointed by him, shall be dispensed with.

R. C. Milligan, Company Secretary

South-West Water Services Limited,  
Peninsula House, Rydon Lane, Exeter EX2 7HR.

24th August 1995.

(743)

## SOUTH WEST WATER SERVICES LIMITED

### *Application for a Drought Order*

Notice of application for an Order relating to abstraction from the Hawks Tor Pit (location at National Grid Reference SX 151 745).

An exceptional shortage of rain means that a serious deficiency of supplies of water is threatened in the area of South West Water Services Limited, the Statutory Water Undertaker, which is served from the De Lank Water Treatment Works and associated river intake in the parish of St. Breward in the District of North Cornwall and by Lowermoor Water Treatment Works which is supplied by Crowdy Reservoir in the parishes of Advent and Davidstow in the District of North Cornwall. Notice is given that in order to maintain an adequate supply of water, the Company is applying to the Secretary of State for the Environment for an Order pursuant to section 73 of the Water Resources Act 1991 to enable it, for a period not exceeding six months to:

1. Abstract a quantity of water not exceeding 10,000 cubic metres per day (2.2 million gallons per day) at National Grid Reference SX 151 745.
2. To take the water via a disused pipeline from National Grid Reference SX 151 745 to National Grid Reference SX 153 746 where it will enter the Colliford to De Lank Water Treatment Works raw water pipeline or alternatively to lay an overland pipe from Hawks Tor Pit at National Grid Reference SX 151 745 to De Lank Water Treatment Works at National Grid Reference SX 135 765 and to pump up the maximum amount of water referred to in 1 above via that pipeline.
3. To install a temporary intake and pumping installation at Hawks Tor Pit, located at National Grid Reference SX 151 745.

A copy of the statement and a plan illustrating the Company's proposals may be inspected by any person, free of charge, during all reasonable office hours at the Company's Head Office, Peninsula House, Rydon Lane, Exeter EX2 7HR, and at Camelford Post